

Indian Institute of Science

E9-253: Neural Networks and Learning Systems-I

Instructor: Shayan Srinivasa Garani

Home Work #4, Spring 2019

Late submission policy: Points scored = Correct points scored $\times e^{-d}$, $d = \#$ days late

Assigned date: March 21st 2019

Due date: April 4th 2019 in class

PROBLEM 1: Solve

- (a) 6.1 (15 points).
- (b) 6.3 (15 points).
- (c) 6.11 (5 points).
- (d) 6.21 (5 points).
- (e) 6.25 (35 points) considering the dataset as shown in Figure P6.25 on page 312 from the book Neural Networks and Learning Machines (third edition) by Simon Haykin.

(75 pts.)

PROBLEM 2: Consider the kernel $K(\bar{x}, \cdot) = \tanh(\beta_0 \bar{x}^T \bar{x} + \beta_1)$ for $\bar{x} \in \mathbb{R}^d$. Check if some choices of β_0 and β_1 satisfy Mercer's theorem..

(10 pts.)

PROBLEM 3: Let

$$L_\epsilon(d, y) = \begin{cases} |d - y| - \epsilon, & |d - y| \geq \epsilon \\ 0, & \text{else.} \end{cases}$$

Following the notations and their meanings as mentioned in the class,

$$\begin{aligned} \text{minimize} \quad & R_{\text{emp}} = \frac{1}{N} \sum_{i=0}^{N-1} L_\epsilon(d_i, y_i) \\ \text{subject to} \quad & \|\bar{w}\|^2 \leq c_0 \\ & d_i - \bar{w}^T \phi(\bar{x}_i) \leq \epsilon + \zeta_i \\ & \bar{w}^T \phi(\bar{x}_i) - d_i \leq \epsilon + \zeta'_i \\ & \zeta_i \geq 0 \\ & \zeta'_i \geq 0 \end{aligned}$$

for all $i = 1, \dots, N$. Set up the primal and the dual cost function with all the constraints for the given problem.

(15 pts.)